

ASUS COMPUTER

Monitor ASUS ProArt PA32DC / 4K Ultra HD 60Hz 0.1 ms OLED / HDMI DP / e zezë

SKU: 16007153 · EAN: 4711081560883

SPECIFIKAT TEKNIKE**98 specifikat e produktit**

ATRIBUTI	VLERA
Display	
Display diagonal	80 cm (31.5")
Display resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Native aspect ratio	16:9
Display technology	OLED
Panel type	OLED
Touchscreen	No
Display brightness (peak)	500 cd/m ²
Display brightness (typical)	250 cd/m ²
Response time	0.1 ms
Display surface	Matt
Anti-glare screen	Yes
Screen shape	Flat
Contrast ratio (typical)	1000000:1
Maximum refresh rate	60 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.073 billion colours
Pixel pitch	0.182 x 0.182 mm
Viewable size. horizontal	69.8 cm
Viewable size. vertical	39.3 cm
Digital horizontal frequency	31 - 135 kHz
Digital vertical frequency	24 - 75 Hz
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)

Colour depth	10 bit
Colour gamut standard	DCI-P3
Colour gamut	99%
Adobe RGB coverage	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Number of speakers	2
RMS rated power	6 W
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Market positioning	Graphics design
Product colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI	Yes
HDMI ports quantity	3
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out	Yes
PC Audio in	Yes
HDCP	Yes

HDCP version	2.2
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	46 kWh
Energy consumption (HDR) per 1000 hours	75 kWh
Power consumption (typical)	38 W
Power consumption (off)	0 W
Power consumption (PowerSave)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	735.4 mm
Depth (with stand)	245 mm
Height (with stand)	626.9 mm
Weight (with stand)	12.1 kg
Width (without stand)	735.4 mm
Depth (without stand)	54.4 mm
Height (without stand)	466.9 mm
Weight (without stand)	7.6 kg
Packaging data	
Package width	878 mm

Package depth	298 mm
Package height	616 mm
Package weight	19.9 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
Sun hood included	Yes
Quick start guide	Yes
Other features	
Certification	Energy StarTÜV Flicker-freeTÜV Low Blue LightVESA DisplayHDR 400 True BlackCalman Ready