

LG ELECTRONICS

Monitor Gaming LG UltraGear 34G630A-B / 34"/ Ultra-Wide QHD VA / 240 Hz / 1 ms / Curved / HDMI+USB+DP - Zezë

SKU: 16007201 · EAN: 8806096558058

SPECIFIKAT TEKNIKE

77 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
HD type	Wide Quad HD
Native aspect ratio	21:9
Panel type	VA
Touchscreen	No
Display brightness (typical)	300 cd/m ²
Response time	1 ms
Response time measurement type	GTG (Gray to Gray)
Screen shape	Curved
Screen curvature rating	1500R
Supported graphics resolutions	3440 x 1440
Supported video modes	1440p
Contrast ratio (typical)	4000:1
Maximum refresh rate	240 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.2317 x 0.2317 mm
Pixel density	110 ppi
Display diagonal (metric)	86 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400
Colour gamut standard	DCI-P3
DCI-P3 coverage	95%

Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Black
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Built-in USB hub	No
Number of USB Type-C upstream ports quantity	3
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	15 W
HDMI	Yes
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Audio input	Yes
Headphone out	Yes
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Height adjustment	Yes
Swivelling	Yes
Tilt adjustment	Yes
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	32 kWh
Energy consumption (HDR) per 1000 hours	61 kWh

Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 85%
Weight & dimensions	
Width (with stand)	808 mm
Depth (with stand)	235 mm
Height (with stand)	512.4 mm
Weight (with stand)	7.3 kg
Width (without stand)	808 mm
Depth (without stand)	107.1 mm
Height (without stand)	363.9 mm
Weight (without stand)	5.3 kg
Packaging data	
Package type	Box
Packaging content	
Stand included	Yes
Cables included	DisplayPort, HDMI
Other features	
Brand specific technologies	Black Stabilizer
FPS counter	Yes
Picture-by-Picture (PbP)	Yes