

BE QUIET!

Furnizues Energjie PSU be quiet! Dark Power 14 850W ATX Power Supply / Fully Modular / 80+ Titanium – Zezë

SKU: 17008644 · EAN: 4260052192016

SPECIFIKAT TEKNIKE

75 specifikat e produktit

ATRIBUTI	VLERA
Power	
Total power	850 W
Peak power	950 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Maximum input current (@110V)	10 A
Maximum input current (@220V)	5 A
Power factor	0.98
Number of +12V rail(s)	4
Combined power (+3.3V)	120 W
Combined power (-12V)	850 W
Combined power (+5V)	120 W
Max output current (+3.3V)	24 A
Max output current (+12V1)	30 A
Max output current (+12V2)	30 A
Max output current (+12V3)	35 A
Max output current (+12V4)	35 A
Max output current (+5V)	24 A
Max output current (-12V)	0.5 A
Max output current (+5Vsb)	3 A
Hold time	20.7 ms
Efficiency	93.8%
Power protection features	Over current, Over voltage, Overheating, Overload, Short circuit, Surge & inrush protection (SiP), Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Motherboard power cable length	60 cm

Number of SATA power connectors	13
SATA power cable length	600,750,900,1050 mm
Number of SATA power cables	4
Peripheral (Molex) power connectors (4-pin)	2
Peripheral (Molex) power cable length	900,1050 mm
EPS power connector (8-pin)	Yes
EPS power connector (4+4 pin)	Yes
PCI Express power connectors (6+2 pin)	4
PCI Express power connectors (12-pin)	1
PCI Express power cable length	60 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	70 cm
ATX power connector (20+4 pin)	Yes
PCI Express connector	Yes
Cabling type	Fully-Modular
Performance	
80 PLUS certification	80 PLUS Titanium
Purpose	PC
Power supply unit (PSU) form factor	ATX
ATX version	3.1
EPS version	2.92
Noise level	16 dB
Bearing technology	FDB
Mean time between failures (MTBF)	100000 h
Design	
Product colour	Black
Cooling type	Active
Fan diameter	13.5 cm
Number of fans	1 fan(s)
Fan speed	0 - 2100 RPM
Illumination	No
On/off switch	Yes
On/off fan switch	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Certificates	
Compliance certificates	CB, Federal Communications Commission (FCC), RoHS, TÜV mark, UKCA, WEEE, cTUVus
Weight & dimensions	
Width	150 mm
Depth	175 mm
Height	86 mm
Weight	2.2 kg
Packaging data	
Manual	Yes
Manual languages	Simplified Chinese, German, English, Spanish, French, Italian, Japanese, Polish, Russian, Thai, Ukrainian
Package width	230 mm
Package depth	126 mm
Package height	355 mm
Package weight	3.5 kg
Technical details	
Sustainability certificates	ENERGY STAR, ErP, Triman
Logistics data	
Shipping (inner) case length	52.8 cm
Shipping (inner) case width	36.8 cm
Shipping (inner) case height	26 cm
Shipping (inner) case net weight	19.3 kg
Products per shipping (inner) case	4 pc(s)
Other features	
Screws included	Yes
Cable ties included	Yes