

YEALINK

Sistem për konferencë Yealink CP965

SKU: 26008383 · EAN: 6938818308503

SPECIFIKAT TEKNIKE	
70 specifikat e produktit	
ATRIBUTI	VLERA
Features	
Product type	IP conference phone
Recommended room size	Large room
Control type	Touch
Product colour	Black
Built-in display	Yes
Display type	LCD
Display diagonal	12.7 cm (5")
Display resolution	720 x 1280 pixels
Touchscreen	Yes
Audio system full duplex	Yes
Voice codecs	AGC, AJB, CNG, G.711a, G.711u, G.722, G.722.1C, G.723, G.726, G.729, G.729A, OPUS, PCMA, PLC, VAD, iLBC
Microphone direction type	Omnidirectional
Number of microphone arrays	1
Frequency range	100 - 20000 Hz
Sound pressure level	94 dB
Echo cancellation	Yes
Noise reduction	Yes
Microphone pick-up range	6 m
Microphone mute	Yes
Conference call ways quantity	10
Wi-Fi	Yes
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Bluetooth	Yes
Bluetooth version	4.2
Ethernet LAN data rates	10,100 Mbit/s
Power over Ethernet (PoE)	Yes

Security algorithms	256-bit AES, HTTPS, MD5, WPA2, WPA3
Quality of Service (QoS) support	Yes
Conference call	Yes
Call forwarding	Yes
Call hold	Yes
Call waiting	Yes
Call blocking	Yes
Phonebook capacity	1000 entries
Call transfer	Yes
Call history	Yes
Call return	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Built-in speaker(s)	Yes
Speaker power	5 W
Speaker diameter	5.6 cm
Certification	CE, FCC, RoHS, REACH, ISO 9001, CCC
Call management	
Do not disturb function	Yes
Ports & interfaces	
RJ-45 ports quantity	1
USB port	Yes
USB version	2.0
USB connector type	USB Type-A, USB Type-C
USB ports quantity	2
Power	
Power consumption (max)	14 W
Power consumption (Power over Ethernet (PoE))	20 W
Operational conditions	
Storage temperature (T-T)	-10 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	328 mm
Depth	322 mm
Height	62 mm

Package width	384 mm
Package depth	398 mm
Package height	105 mm
Packaging content	
Screws included	Yes
Number of screws included	5 pc(s)
Screwdriver included	Yes
Ethernet cable	Yes
Quick installation guide	Yes
Logistics data	
Products per master (outer) case	5 pc(s)
Master (outer) case gross weight	9.02 kg
Master (outer) case length	552 mm
Master (outer) case width	392 mm
Master (outer) case height	410 mm
Harmonized System (HS) code	85176990