

FUJITSU TECHNOLOGY SOLUTIONS

Monitor Fujitsu B22-8 WE Neo / 22" / 1680x1050 / 75Hz / 5ms / TN / i hirtë

SKU: 16007265 · EAN: 4059595470480

SPECIFIKAT TEKNIKE

68 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	55.9 cm (22")
Display resolution	1680 x 1050 pixels
HD type	WSXGA+
Native aspect ratio	16:10
Display technology	LED
Panel type	TN
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	5 ms
Screen shape	Flat
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1440 x 900, 1680 x 1050 (WSXGA+)
Aspect ratio	16:10
Contrast ratio (typical)	1000:1
Contrast ratio (dynamic)	20000000:1
Viewing angle. horizontal	178°
Viewing angle. vertical	170°
Display number of colours	16.78 million colours
Pixel pitch	0.282 x 0.282 mm
Horizontal scan range	30 - 82 kHz
Vertical scan range	56 - 76 Hz
Viewable size. horizontal	47.4 cm
Viewable size. vertical	29.6 cm
3D	No
Multimedia	
Number of speakers	2

RMS rated power	3 W
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Product colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	2.0
DVI port	Yes
DVI-D ports quantity	1
DisplayPorts quantity	1
Audio input	Yes
Audio output	Yes
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes
Adjustable height (max)	13 cm
Swivelling	Yes
Swivel angle range	0 - 345°
Tilt adjustment	Yes
Tilt angle range	-5 - 35°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, Italian, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Power	
Energy efficiency class (SDR)	C
Energy consumption (SDR) per 1000 hours	10 kWh
Power consumption (off)	0.16 W
Power consumption (PowerSave)	0.19 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	10 - 85%

Weight & dimensions	
Width (with stand)	513.5 mm
Depth (with stand)	212.7 mm
Height (with stand)	359.3 mm
Width (without stand)	513.5 mm
Depth (without stand)	65 mm
Height (without stand)	345.6 mm
Weight (without stand)	3.38 kg
Packaging data	
Package weight	7.42 kg
Packaging content	
Cables included	AC, Audio (3.5mm), DisplayPort, USB
Manual	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
Other features	
On/off switch	Yes
Rotating	Yes
Certification	Energy Efficiency Class: A, EN 60950, CE certification according to EC Directive 2004/108/EEC, RoHS, WEEE, IT-Eco-Declaration
Logistics data	
Harmonized System (HS) code	85285210