

ASUS COMPUTER

Monitor ASUS ProArt PA32UCDM / 31.5 3 / 4K UHD / QD-OLED / 16:9 / 240Hz / 0.1ms / HDMI + DP + USB-C + Thunderbolt / E bardhë

SKU: 16007352 · EAN: 4711387564714

SPECIFIKAT TEKNIKE**91 specifikat e produktit**

ATRIBUTI	VLERA
Display	
Display diagonal	80 cm (31.5")
Display resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Native aspect ratio	16:9
Display technology	QD-OLED
Panel type	OLED
Touchscreen	No
Display brightness (peak)	1000 cd/m ²
Display brightness (typical)	250 cd/m ²
Response time	0.1 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen shape	Flat
Contrast ratio (typical)	1500000:1
Contrast ratio (dynamic)	1500000:1
Maximum refresh rate	240 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.073 billion colours
Pixel pitch	0.182 x 0.182 mm
Pixel density	140 ppi
Viewable size. horizontal	69.9 cm
Viewable size. vertical	39.5 cm
Digital horizontal frequency	15 - 583 kHz
Digital vertical frequency	48 - 240 Hz

Display diagonal (metric)	80 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black, Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Colour gamut standard	DCI-P3, sRGB
sRGB coverage (typical)	100%
DCI-P3 coverage	99%
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Number of speakers	2
RMS rated power	6 W
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Market positioning	Professional
Product colour	Silver
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB Type-A downstream ports quantity	1
USB Type-C downstream ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	96 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	2.1
Thunderbolt 4 ports quantity	2
Headphone out	No
HDCP	Yes
HDCP version	2.3
Ergonomics	
VESA mounting	Yes

Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	29 kWh
Energy consumption (HDR) per 1000 hours	38 kWh
Power consumption (typical)	32 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	717.3 mm
Depth (with stand)	228 mm
Height (with stand)	602.5 mm
Weight (with stand)	9 kg
Width (without stand)	717.3 mm
Depth (without stand)	42.4 mm
Height (without stand)	422.3 mm
Weight (without stand)	6.5 kg
Packaging data	
Package width	820 mm
Package depth	282 mm
Package height	577 mm
Package weight	16.6 kg

Package type	Box
Sustainability	
Sustainability certificates	ENERGY STAR, Forest Stewardship Council (FSC) Mix
Other features	
Brand specific technologies	ASUS OLED Care
