

HANWHA - WISENET

Kamera Sigurie IP CCTV Hanwha / QNP 6320HS / PTZ Outdoor / 2MP PoE IR / IP66 IK10

SKU: 11006010 · EAN: 8801089210029

SPECIFIKAT TEKNIKE	
49 specifikat e produktit	
ATRIBUTI	VLERA
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired
PTZ control	Yes
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Design	
Form factor	Dome
Mounting type	Ceiling
Product colour	Silver
International Protection (IP) code	IP66, IP67
IK code	IK10
Camera	
Tilt angle range	-15 - 90°
Tilt speed	200 °/sec
Pan range	0 - 360°
Pan speed	200 °/sec
Pan preset speed	700 °/sec
White balance	ATW, AWC, Indoor, Manual, Mercury lamp, Outdoor, Sodium lamp
Image sensor	
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Sensor type	CMOS
Lens system	
Number of lenses	1
Maximum aperture number	4.4

Minimum aperture number	1.6
Video	
Maximum resolution	1920 x 1080 pixels
Total megapixels	2 MP
Supported graphics resolutions	320 x 240, 640 x 360, 640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 448, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080)
Video streaming	Yes
Network	
Ethernet LAN	Yes
Streaming method	Multicast, Unicast
Storage	
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
Maximum memory card size	256 GB
Flash memory	256 MB
Internal memory	1024 MB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
IP address filtering	Yes
Security algorithms	EAP-LEAP, EAP-TLS, HTTPS, SSL/TLS
HTTPS encryption	Yes
Power	
Power source type	PoE
Power consumption (typical)	14 W
Power consumption (max)	23 W
Operational conditions	
Operating temperature (T-T)	-35 - 55 °C
Storage temperature (T-T)	-50 - 60 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Weight & dimensions	
Height	299.2 mm
Diameter	22.7 cm
Weight	5.4 kg

Packaging content

Number of cameras	1
-------------------	---
