

CANON

Printer Multifunksional T Canon PIXMA TS3351 WIFI 3in1 A4 / 7.7ppm - Bardhë

SKU: 19008613 · EAN: 4549292143966

SPECIFIKAT TEKNIKE	
67 specifikat e produktit	
ATRIBUTI	VLERA
Printing	
Duplex printing mode	Manual
Print technology	Inkjet
Printing	Colour printing
Duplex printing	No
Maximum resolution	4800 x 1200 DPI
Print speed (ISO/IEC 24734) mono	7.7 ipm
Print speed (ISO/IEC 24734) colour	4 ipm
Borderless printing	Yes
Copying	
Duplex copying	No
Copying	Colour copying
Maximum number of copies	20 copies
Scanning	
Duplex scanning	Yes
Scanning	Colour scanning
Optical scanning resolution	600 x 1200 DPI
Scanner type	Flatbed scanner
Input colour depth	16 bit
Output colour depth	8 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit
Fax	
Faxing	No
Features	
Ink tank system	Yes
Number of print cartridges	2

Input & output capacity	
Total input capacity	60 sheets
Paper input type	Paper tray
Maximum input capacity	60 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Maximum print size	216 x 297 mm
Paper tray media types	Envelopes, Photo paper, Plain paper
ISO A-series sizes (A0...A9)	A4, A5
ISO B-series sizes (B0...B9)	B5
Photo paper sizes	10x15,13x18,13x13
Borderless printing media sizes	10x15, 13x18, 13x13
Custom media width	101.6 - 215.9 mm
Ports & interfaces	
USB port	Yes
USB connector	USB Type-B
Network	
Wi-Fi	Yes
Ethernet LAN	No
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	WEP, WPA-PSK, WPA2-PSK
Mobile printing technologies	Apple AirPrint, Samsung Mobile Print
Performance	
Sound pressure level (printing)	53.5 dB
Design	
Product colour	White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display resolution	1024 x 768 pixels
Power	
Power consumption (copying)	11 W
Power consumption (standby)	1.7 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V

AC input frequency	50 - 60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave
Mobile operating systems supported	Android, iOS
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Operating temperature (T-T)	15 - 30 °C
Weight & dimensions	
Width	435 mm
Depth	316 mm
Height	145 mm
Weight	3.9 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	180 pages
Included cartridge capacity (CMY)	180 pages
Manual	Yes
Warranty card	Yes
Logistics data	
Harmonized System (HS) code	84433100
Other features	
PictBridge	Yes