

CANON

Kamerë digjitale Canon EOS R100 / 24.1MP / 4K / RF-S 18-45mm / Wi-Fi / Bluetooth - Zezë

SKU: 26020109 · EAN: 4549292214598

SPECIFIKAT TEKNIKE

153 specifikat e produktit

ATRIBUTI	VLERA
Picture quality	
Camera type	MILC
Megapixel (approx.)	24.1 MP
Sensor type	CMOS
Maximum image resolution	6000 x 4000 pixels
Supported aspect ratios	1:1, 3:2, 4:3, 16:9
Image sensor size (W x H)	22.3 x 14.9 mm
Sensor format	Advanced Photo System type-C (APS-C)
Image formats supported	JPEG, Raw
Lens system	
Focal length range	18 - 45 mm
Minimum focal length (35mm film equiv)	29 mm
Maximum focal length (35mm film equiv)	72 mm
Minimum aperture number	32
Maximum aperture number	4.5
Lens structure (elements/groups)	7/7
Lens type	Standard zoom
Filter size	49 mm
Number of diaphragm blades	7
Lens mount interface	Canon RF
Lens type	Standard zoom (RF-S 18-45mm F4.5-6.3 IS STM)
Focal length range	18-45 mm
Focal length (35mm equiv.)	29-72 mm
Lens structure	7 elements / 7 groups
Diaphragm blades	7
Lens mount	Canon RF

Focusing	
Focus	TTL
Focus adjustment	Auto/Manual
Auto focusing (AF) modes	Continuous Auto Focus, One Shot Focus, Servo Auto Focus
Auto Focus (AF) object detection	People
Feature	Face tracking
Feature	Auto Focus (AF) lock
Feature	Auto Focus (AF) assist beam
Exposure	
ISO sensitivity (min)	100
ISO sensitivity (max)	25600
ISO sensitivity	100, 6400, 12800
Light exposure modes	Aperture priority AE, Auto, Manual, Shutter priority AE
Light exposure control	Program AE
Light exposure correction	± 3EV (1/3EV step)
Light metering	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot
Feature	Auto Exposure (AE) lock
Number of measurement zones	384
Shutter	
Fastest camera shutter speed	1/4000 s
Slowest camera shutter speed	30 s
Camera shutter type	Electronic
Flash	
Feature	Flash exposure lock
Flash guide number	6 m
Feature	Flash exposure compensation
Flash exposure correction	±3EV (1/3 EV step)
Feature	Shoe mounting point
Shoe mounting point type	Hot shoe
Video	
Feature	Video recording
Maximum video resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Video resolutions	3840 x 2160, 1920 x 1080, 1280 x 720
Video formats supported	AVC, H.264, MP4, MPEG4

Maximum video resolution	3840 x 2160 (4K Ultra HD)
Video resolutions	3840x2160, 1920x1080, 1280x720
Video formats	MP4, H.264/AVC, MPEG4
Audio	
Feature	Built-in microphone
Feature	Built-in speaker(s)
Audio system	stereo
Feature	Wind filter
Audio formats supported	LPCM, AAC
Audio formats	LPCM, AAC
Features	Built-in microphone, built-in speaker, wind filter
Memory	
Compatible memory cards	SD, SDHC, SDXC
Memory slots	1
Display	
Display	LCD
Display diagonal	7.62 cm (3")
Display diagonal (metric)	7.5 cm
Display resolution	1040000 dot
Display aspect ratio	3:2
Display type	LCD
Display Size	3" (7.62 cm) inch
Display resolution	1,040,000 dots
Viewfinder	
Viewfinder type	Electronic
Magnification	0.95x
Viewfinder screen size	0.39"
Viewfinder frame rate (power saving mode)	30 fps
Viewfinder frame rate (smooth mode)	60 fps
Viewfinder resolution (approx.)	2360000 pixels
Ports & interfaces	
USB version	2.0
USB connector	USB Type-C
Feature	HDMI
HDMI connector type	Micro

Feature	Microphone in
Headphone connectivity	3.5 mm
USB	Type-C (USB 2.0)
HDMI	Micro (Type-D)
Microphone input	3.5 mm
Headphone output	3.5 mm
Network	
Feature	Bluetooth
Bluetooth version	4.2
Feature	Bluetooth Low Energy (BLE)
Feature	Wi-Fi
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi standards	802.11b/g/n (2.4 GHz)
Bluetooth	4.2 (BLE supported)
Camera	
White balance	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Scene modes	Children, Close-up (macro), Food, HDR backlight control, Handheld night scene, Landscape, Panning, Portrait, Silent shutter, Sports
Self-timer delay	2,10 s
Feature	Dioptre correction
Feature	Histogram
Feature	Live view
Feature	Direct printing
Feature	Orientation sensor
Feature	Smartphone/tablet remote support
Feature	View on smartphone
Feature	Tripod mounting supported
Image processor	DIGIC 8
Camera type	MILC (Mirrorless Interchangeable Lens Camera)
Sensor type	CMOS APS-C (22.3 x 14.9 mm)
Megapixels	24.1 MP
Image formats	JPEG, RAW
Focus system	TTL, Auto / Manual
AF modes	One Shot, Servo, Continuous AF
AF object detection	People (face tracking)
ISO sensitivity	100-25600

Shutter speed range	1/4000 s - 30 s
Shutter type	Electronic
Exposure modes	Auto, Aperture priority AE, Shutter priority AE, Manual, Program AE
Exposure compensation	±3 EV (1/3 EV step)
Metering modes	Evaluative (384 zones), Centre-weighted, Partial, Spot
Flash shoe	Hot shoe
White balance	Auto, Daylight, Shade, Cloudy, Tungsten, Fluorescent, Flash, Custom
Viewfinder size	0.39"
Viewfinder resolution	2,360,000 pixels
Viewfinder magnification	0.95x
Viewfinder frame rate	30 fps (power saving) / 60 fps (smooth)
Design	
Product colour	Black
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery type	LP-E17
Number of batteries supported	1
Feature	Battery level indicator
Power	
Feature	USB Type-C charging port
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width	116.3 mm
Depth	68.8 mm
Height	85.5 mm
Weight	309 g
Weight (including battery)	356 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	192 mm
Package depth	200 mm
Package height	154 mm
Package weight	1.11 kg
Packaging content	

Feature	Neck strap included
Feature	AC adapter included
Feature	Battery charger included
Feature	Batteries included
Logistics data	
Products per pallet	144 pc(s)
Storage	
Memory card slot(s)	1
Features	
Scene modes	Portrait, Landscape, Sports, Close-up, Food, Children, Panning, HDR backlight control, Handheld night scene, Silent shutter
Self-timer	2 s,