

IYYAMA

Monitor IYYAMA LH4341UHS-B2 / 43" 4K Ultra HD 8 ms IPS / HDMI, USB / e zezë

SKU: 16007772 · EAN: 4948570123520

SPECIFIKAT TEKNIKE

91 specifikat e produktit

ATRIBUTI	VLERA
Display	
Panel type	IPS
Display diagonal	108 cm (42.5")
Display technology	LCD
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m ²
HD type	4K Ultra HD
Touchscreen	No
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.245 x 0.245 mm
Active display area (W x H)	941.2 x 529.4 mm
Display diagonal (metric)	108 cm
Horizontal scan range	30 - 80 kHz
Native refresh rate	60 Hz
Haze rate	1%
Ports & interfaces	
HDMI ports quantity	3
DVI port	Yes
USB port	Yes
USB ports quantity	1
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)
Ethernet LAN (RJ-45) ports	1

PC Audio in	Yes
RS-232C	Yes
Remote (IR) input	1
Remote (IR) output	1
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Placement supported	Indoor
Orientation	Horizontal/Vertical
VESA mounting	Yes
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.4 cm
Bezel width (side)	1.35 cm
Bezel width (top)	1.4 cm
Bezel colour	Black
Performance	
Purpose	Universal
On Screen Display (OSD)	Yes
Number of OSD languages	11
On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Dutch, Russian
Operating hours (hours/days)	24/7
HDCP	Yes
HDCP version	2.2
Mean time between failures (MTBF)	50000 h
Power	
Power consumption (typical)	107 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	107 kWh
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G

Computer system	
Computer system	Yes
Built-in processor	Yes
Processor model	V810
Internal memory	2 GB
Internal storage capacity	16 GB
Operating system installed	Android 8.0
Weight & dimensions	
Display width	968 mm
Display depth	54 mm
Display height	557.5 mm
Display weight	8.9 kg
Width	968 mm
Depth	54 mm
Height	557.5 mm
Weight	8.9 kg
Packaging data	
Package width	1075 mm
Package depth	127 mm
Package height	683 mm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC, HDMI, RS-232
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Certificates	
Certification	CB, CE, TÜV-Bauart, EAC, ErP, WEEE, REACH
Logistics data	
Harmonized System (HS) code	85285210
Network	
Ethernet LAN	Yes
Wi-Fi	No
Technical details	

Audio in (mini jack)	Yes
Playback media	Y
Sustainability certificates	ErP
Compliance certificates	CB, CE, EAC, REACH, RoHS, TÜV mark, WEEE
Other features	
Quick start guide	Yes
Power supply type	Internal
Cable management	Yes
Housing material	Metal