

SAMSUNG

Ekran prezantues 4K Samsung Smart Signage BE85D H / 85 3/ Ultra HD LED / 60Hz / 8ms / HDMI + USB - Zezë

SKU: 22002436 · EAN: 8806095641126

SPECIFIKAT TEKNIKE	
59 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Display diagonal	2.16 m (85")
Display technology	LED
Display resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Touchscreen	No
Native aspect ratio	16:9
Display diagonal (metric)	214.7 cm
Motion interpolation technology	Motion Xcelerator
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	Filmmaker Mode, High Dynamic Range 10+ (HDR10 Plus)
Ports & interfaces	
HDMI ports quantity	3
USB port	Yes
USB ports quantity	1
Ethernet LAN (RJ-45) ports	1
Audio Return Channel (ARC)	Yes
RF input	3
Audio	
Built-in speaker(s)	Yes
RMS rated power	20 W
Audio output channels	2.0 channels
Enhanced Audio Return Channel (eARC)	Yes
Design	
Product design	Digital signage flat panel
Placement supported	Indoor
Product colour	Black

Screen shape	Flat
VESA mounting	Yes
Bezel type	3 Bezel-less
Performance	
Purpose	Commercial
Digital signal format system	DVB-C, DVB-S2, DVB-T2
Operating hours (hours/days)	16/7
Web browser	Yes
Sound mirroring	Yes
Power	
Power consumption (typical)	225 W
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	166 kWh
Energy consumption (HDR) per 1000 hours	250 kWh
Energy efficiency scale	A to G
Computer system	
Operating system installed	Tizen
Weight & dimensions	
Display width	1901.2 mm
Display depth	61.4 mm
Display height	1088.4 mm
Display weight	32.5 kg
Packaging data	
Package width	2075 mm
Package depth	210 mm
Package height	1233 mm
Package weight	46.5 kg
Brand-specific features	
Samsung technologies (AV/TV)	Media Home, Q-Symphony
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Wi-Fi standards	Wi-Fi 5 (802.11ac)
Other features	

Bluetooth	Yes
Bluetooth version	5.2
Common interface (CI)	Yes
Common interface Plus (CI+)	Yes
Package type	Box
Tuner type	Analog & digital
Common interface Plus (CI+) version	1.4
VXT player support	Yes
USB port lock	Yes