

LEVEL ONE

Switch KVM / KVM-3208 / 8-Port / PS/2 + USB / VGA

SKU: 25011972 · EAN: 4015867229385

SPECIFIKAT TEKNIKE	
58 specifikat e produktit	
ATRIBUTI	VLERA
Ports & interfaces	
Number of computers controlled	8
Keyboard port type	USB, PS/2
Mouse port type	USB, PS/2
Video port type	VGA
VGA (D-Sub) ports quantity	8
Console ports	PS/2, USB A, VGA (D-Sub)
Console USB ports quantity	2
PS/2 ports quantity	2
DC-in jack	Yes
Performance	
Maximum resolution	2048 x 1536 pixels
Scan interval	10,15,20,25,30,35,40,45,50,55,60,70,80,90 s
Auto scan delay (min)	10 s
Auto scan delay (max)	95 s
Daisy chain	Yes
Maximum operating distance	30 m
Design	
Rack mounting	Yes
Rack capacity	1U
Product colour	Black
Housing material	Metal
Cascadable	Yes
LED indicators	Power
Push button	Yes
Hot keys	Yes
Display	
Built-in display	No

On Screen Display (OSD)	Yes
Power	
Power source	DC
Input voltage	9 V
Input current	1 A
External power adapter	Yes
System requirements	
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Sustainability	
Sustainability compliance	Yes
Compliance certificates	CE, Federal Communications Commission (FCC), UKCA, WEEE
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	0 - 85%
Storage relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	410 mm
Depth	165 mm
Height	44.5 mm
Weight	1.84 kg
Packaging data	
Package width	567 mm
Package depth	245 mm
Package height	106 mm
Package weight	2.88 kg
Package type	Box
Packaging content	
Manual	Yes
AC adapter included	Yes
Technical details	
Pallet gross length	110 cm
Pallet gross width	120 cm
Pallet height (air)	11.5 cm

Logistics data	
Master (outer) cases per pallet (air)	24 pc(s)
Master (outer) case width	585 mm
Master (outer) case length	270 mm
Master (outer) case height	545 mm
Master (outer) case gross weight	15.2 kg
Products per master (outer) case	5 pc(s)
Country of origin	Taiwan