

TP-LINK

Ruter TP-Link TL-WR902AC / AC750 Mini Pocket Wi-Fi

SKU: 25012086 · EAN: 6935364095666

SPECIFIKAT TEKNIKE	
80 specifikat e produktit	
ATRIBUTI	VLERA
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	Yes
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	433 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	433 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u
Port forwarding	Yes
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1
Built-in FTP server	Yes
Media server	Yes
VPN Passthrough	Yes

VPN support	PPTP, L2TP, IPSec
Receiver sensitivity	11a 54M: -76dBm; 11ac VHT20 MCS8: -70dBm;11ac VHT40 MCS9: -65.5dBm; 11ac VHT80 MCS9:-61.5dBm2.4GHz:11g 54M: -76dBm11n; HT20 MCS7: -74dBm;11n HT40 MCS7: -71dBm
Mobile network	
Mobile network generation	4G
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
USB port	Yes
USB 2.0 ports quantity	1
Management features	
Quality of Service (QoS) support	Yes
Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	WEP, WPA, WPA2
Firewall	Yes
Firewall security	SPI
Guest access	Yes
Stateful Packet Inspection (SPI)	Yes
DoS attack prevention	Yes
Filtering	Yes
IP address filtering	Yes
URL filtering	Yes
DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Supported network protocols	IPv4, IPv6
Design	
Product colour	White
Product type	Portable router
Certificates	
Compliance certificates	RoHS, Federal Communications Commission (FCC), CE
Packaging content	

Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick start guide	Yes
Sustainability	
Sustainability compliance	Yes
Antenna	
Antenna design	Internal
Antennas quantity	2
Receive power	11a 54M: -76dBm; 11ac VHT20 MCS8: -70dBm; 11ac VHT40 MCS9: -65.5dBm; 11ac VHT80 MCS9: -61.5dBm, 2.4GHz: 11g 54M: -76dBm11n; HT20 MCS7: -74dBm; 11n HT40 MCS7: -71dBm
Transmit power	CE:<20dBm(2.4GHz), <23dBm(5GHz)
Features	
Built-in processor	Yes
Processor cores	1
Power	
Power source type	USB
Output voltage	5 V
Output current	2 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Mac compatibility	Yes
Weight & dimensions	
Width	74 mm
Depth	67 mm
Height	22 mm
Weight	56.7 g
Packaging data	
Package width	110 mm

Package depth	109 mm
Package height	81.5 mm
Package weight	299 g
Logistics data	
Harmonized System (HS) code	85176990