

CANON

Printer Laser Canon i-SENSYS LBP243dw II / Color / 1200 DPI / 36ppm - Bardhë

SKU: 19009729 · EAN: 4549292248678

SPECIFIKAT TEKNIKE

53 specifikat e produktit

ATRIBUTI	VLERA
Printing	
Duplex printing mode	Auto
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black. normal quality. A4/US Letter)	36 ppm
Warm-up time	14 s
Time to first page (black. normal)	5 s
Features	
Maximum duty cycle	900 pages per month
Recommended duty cycle	750 - 4000 pages per month
Printing colours	Black, White
Page description languages	PCL 5e, PCL 6, UFR II
Input & output capacity	
Total number of input trays	1
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Index card, Legal, Letter
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 199 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes

USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-EAP, WPA-PSK, WPA2-EAP, WPA2-PSK
Management protocols	SNMPv1, SNMPv3
Mobile printing technologies	Apple AirPrint, Mopria Print Service
Performance	
Internal memory	1000 MB
Maximum internal memory	4000 MB
Built-in processor	Yes
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	LCD
Control type	Buttons
Power	
Power consumption (printing)	480 W
Power consumption (max)	1250 W
Power consumption (standby)	6 W
Energy Star Typical Electricity Consumption (TEC)	0.29 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.13 High Sierra, MacOS
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Operational conditions	
Operating temperature (T-T)	20 - 80 °C
Operating relative humidity (H-H)	10 - 30%

Weight & dimensions	
Width	399 mm
Depth	373 mm
Height	249 mm
Weight	9.5 kg