

MICRO-STAR CO

Monitor MSI MPG 322URXDE / 31.5 Inch / 4K Ultra HD / 240Hz / 0.03ms / I zi

SKU: 16008079 · EAN: 4711377264433

SPECIFIKAT TEKNIKE**92 specifikat e produktit**

ATRIBUTI	VLERA
Display	
Display diagonal	80 cm (31.5")
Display resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Native aspect ratio	16:9
Display technology	QD-OLED
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	0.03 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	3860 x 2160
Supported video modes	2160p
Contrast ratio (typical)	1500000:1
Contrast ratio (dynamic)	100000000:1
Maximum refresh rate	240 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.1814 x 0.1814 mm
Horizontal scan range	30 - 563.76 kHz
Vertical scan range	48 - 240 Hz
Viewable size. horizontal	69.9 cm
Viewable size. vertical	39.5 cm
Display diagonal (metric)	80 cm
High Dynamic Range (HDR) supported	Yes

High Dynamic Range (HDR) technology	DisplayHDR 400
Colour gamut standard	DCI-P3
Colour gamut	99%
sRGB coverage (typical)	138%
Adobe RGB coverage	98%
DCI-P3 coverage	99%
Performance	
NVIDIA G-SYNC	Yes
NVIDIA G-SYNC type	G-SYNC Compatible
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Black
Frameless design	Yes
Ports & interfaces	
Built-in USB hub	Yes
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
HDMI	Yes
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	2.1a
Headphone out	Yes
Headphone outputs	1
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm

Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	11 cm
Pivot	Yes
Pivot angle	-10 - 10°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 15°
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	39 kWh
Energy consumption (HDR) per 1000 hours	39 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	718 mm
Depth (with stand)	242 mm
Height (with stand)	483 mm
Weight (with stand)	9.6 kg
Width (without stand)	718 mm
Depth (without stand)	69 mm
Height (without stand)	418 mm
Packaging data	
Package width	975 mm
Package depth	185 mm
Package height	515 mm
Package weight	12.9 kg
Package type	Box

Packaging content	
Stand included	Yes
Cables included	HDMI, Power, USB
Quick start guide	Yes
Other features	
Warranty period	3 year(s)