

MICRO-STAR CO

Monitor Gaming MSI MPG 491CQPXDE / 49" / Dual QHD / QD-OLED / 240 Hz / 0.03 ms / HDMI+USB+DP / Curved - Zezë

SKU: 16008181 · EAN: 4711377316323

SPECIFIKAT TEKNIKE**91 specifikat e produktit**

ATRIBUTI	VLERA
Display	
Display diagonal	124.5 cm (49")
Display resolution	5120 x 1440 pixels
HD type	Dual QHD
Native aspect ratio	32:9
Display technology	QD-OLED
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	0.03 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen shape	Curved
Screen curvature rating	1800R
Supported graphics resolutions	5120 x 1440
Supported video modes	1440p
Aspect ratio	32:9
Contrast ratio (typical)	1500000:1
Maximum refresh rate	240 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.07 billion colours
Response time (fast)	0.03 ms
Pixel pitch	0.233 x 0.233 mm
Horizontal scan range	30 - 390 kHz
Vertical scan range	48 - 240 Hz
Viewable size. horizontal	119.7 cm
Viewable size. vertical	33.9 cm

Display diagonal (metric)	124.46 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black
Colour gamut standard	DCI-P3
Colour gamut	99%
sRGB coverage (typical)	146%
Adobe RGB coverage	98%
DCI-P3 coverage	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Black
Frameless design	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
USB upstream port type	USB Type-A, USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
HDMI	Yes
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4a
Headphone out	Yes
Headphone outputs	1
Ergonomics	

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	10 cm
Pivot	No
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	50 kWh
Energy consumption (HDR) per 1000 hours	50 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	1195 mm
Depth (with stand)	328 mm
Height (with stand)	410 mm
Weight (with stand)	1.06 kg
Width (without stand)	1195 mm
Depth (without stand)	190 mm
Height (without stand)	372 mm
Weight (without stand)	8.5 kg
Packaging data	
Package width	135 mm
Package depth	301 mm
Package height	520 mm
Package weight	16.4 kg
Package type	Box

Other features

Warranty period	3 year(s)
-----------------	-----------

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------
