

ACTIVE KEY

Tastierë Pa Kabllo Active Key AK-C8100 / IP68 Sealed / QWERTZ - Bardhë

SKU: 26012128 · EAN: 7061119140264

SPECIFIKAT TEKNIKE	
61 specifikat e produktit	
ATRIBUTI	VLERA
Keyboard	
Recommended usage	Medical
Connectivity technology	Wireless
Device interface	RF Wireless
Keyboard key switch	Scissor key switch
Keyboard layout	QWERTZ
Keyboard language	German
Pointing device	No
Keyboard form factor	Full-size (100%)
Numeric keypad	Yes
Keyboard number of keys	105
Keyboard key profile	Low-profile
Windows keys	Yes
USB hub	No
Purpose	Universal
Fingerprint reader	No
Key travel distance	2.5 mm
Actuation force	60 g
Frequency band	2.4 GHz
Certification	CE, RoHS, FCC, EN-60601-1-2:2015
Country of origin	China
Design	
Backlight	No
Keyboard style	Straight
Wrist rest	No
Product colour	White
Surface coloration	Monochromatic

Features	
Wireless range	10 m
Power	
Power source type	Battery
Keyboard battery type	AAA
Number of batteries (keyboard)	4
Battery technology	Alkaline
Power consumption	11 mA
Operating voltage	6 V
Number of batteries supported	4
Mouse	
Mouse included	No
System requirements	
Windows operating systems supported	Yes
Mac compatibility	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Sustainability	
Compliance certificates	RoHS
Weight & dimensions	
Keyboard dimensions (WxDxH)	449 x 142 x 32 mm
Keyboard weight	882 g
Weight	900 g
Packaging data	
Package width	195 mm
Package depth	470 mm
Package height	40 mm
Package weight	1.1 kg
Packaging content	
Number of products included	1 pc(s)
Receiver included	Yes
Packaging content	Keyboard,Manual,4 x AAA battery,2.4 GHz USB-A receiver

Other features	
Keyboard function keys	FN Key,CleanFunction,Wireless dongle pairing
Depth	449 mm
Height	32 mm
Width	142 mm
Logistics data	
Harmonized System (HS) code	84716060
Products per master (outer) case	10 pc(s)
Master (outer) case width	210 mm
Master (outer) case length	425 mm
Master (outer) case height	505 mm
Master (outer) case gross weight	12.7 kg