

LENOVO

Monitor Lenovo ThinkVision T27 40 / 27"/ Full HD IPS / LED / 120Hz / 6 ms / USB + HDMI + DisplayPort + VGA – Zezë

SKU: 16008255 · EAN: 0198155815652

SPECIFIKAT TEKNIKE

113 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LED
Panel type	IPS
LED backlight	Yes
Backlight type	W-LED
Touchscreen	No
Display brightness (typical)	300 cd/m ²
Response time	6 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen shape	Flat
Contrast ratio (typical)	1500:1
Contrast ratio (dynamic)	3000000:1
Maximum refresh rate	120 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	16.7 million colours
Response time (fast)	6 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	82 ppi
Viewable size. horizontal	59.8 cm
Viewable size. vertical	33.6 cm
Display diagonal (metric)	68.6 cm

Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	99%
sRGB coverage (typical)	99%
Response time (extreme)	4 ms
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 11
Multimedia	
Built-in speaker(s)	No
Built-in microphone	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Colour name	Eclipse Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
Number of downstream ports	4
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	No
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	15 W
VGA (D-Sub) ports quantity	1
HDMI	Yes
HDMI ports quantity	1

HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out	No
Network	
Ethernet LAN	No
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	15.5 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23.5°
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	15 kWh
Power consumption (typical)	15 W
Power consumption (standby)	0.5 W
Power consumption (max)	75 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	8 - 80%

Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width (with stand)	611.9 mm
Depth (with stand)	195 mm
Height (with stand)	537.8 mm
Weight (with stand)	6.5 kg
Width (without stand)	611.9 mm
Depth (without stand)	46 mm
Height (without stand)	355.2 mm
Weight (without stand)	4.4 kg
Bezel width (side)	2 mm
Bezel width (top)	2 mm
Bezel width (bottom)	1.04 cm
Packaging data	
Package width	693 mm
Package depth	150 mm
Package height	420 mm
Package weight	9.1 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	DisplayPort, USB Type-A to USB Type-B
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
Other features	
Video colour modes	BT.709
Compliance certificates	RoHS
Certification	ENERGY STAR Certified, TCO 10.0, TCO Edge 2.1, EPEAT Gold, RoHS, EU Energy Efficiency Level (Level-D), Eyesafe Display 2.0, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Flicker Free, TÜV Low Blue Light, TÜV Rheinland Eye Comfort 3.0 (5 Stars)