

UBIQUITI

Switch Ubiquiti UniFi Pro XG 48 PoE, 16x 2.5GbE PoE+++, 32x 10GbE PoE+++, 4x 25G SFP28, PoE 1080W, Switching Capacity 920Gbps, Layer 3 Managed, Rackmount 1U - Hiri

SKU: 26030908 · EAN: 0810177160748

SPECIFIKAT TEKNIKE**57 specifikat e produktit**

ATRIBUTI	VLERA
Management features	
Switch type	Managed
Switch layer	L3
Feature	Quality of Service (QoS) support
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	48
Basic switching RJ-45 Ethernet ports type	10G Ethernet (100/1000/10000)
2.5G Ethernet (copper) ports quantity	16
10G Ethernet (copper) ports quantity	32
SFP28 ports quantity	4
Power connector	AC/DC
Network	
Feature	10G support
Feature	Port mirroring
Feature	Flow control support
Feature	Broadcast storm control
Feature	Rate limiting
IPv4 routes	256000
Feature	VLAN support
Virtual LAN features	Interface-based VLAN, Voice VLAN
Number of VLANs	1000
Data transmission	
Switching capacity	920 Gbit/s
Throughput	460 Gbit/s
Forwarding rate	684 Mpps
MAC address table	128000 entries

Feature	Static route
Feature	Jumbo frames support
Packet buffer memory	8 MB
Security	
DHCP features	DHCP guarding, DHCP relay, DHCP server, DHCPv6 snooping
Access Control List (ACL) IPv4 entries	256
Feature	IGMP snooping
Feature	Loop protection
Multicast features	
Feature	Multicast support
Design	
Feature	Rack mounting
Feature	Stackable
Form factor	1U
Product colour	Grey
Housing material	SGCC
Feature	Reset button
Display type	LCM
Feature	Backlight display
Power	
Power source	AC/DC
Feature	Power supply included
Feature	Redundant power supply (RPS) support
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power consumption (max)	1280 W
Power over Ethernet (PoE)	
Feature	Power over Ethernet (PoE)
Power over Ethernet (PoE) type supported	PoE+++
Power over Ethernet (PoE) power per port	15.4 W
Total Power over Ethernet (PoE) budget	1080 W
Operational conditions	
Operating temperature (T-T)	-5 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	

Width	442 mm
Depth	480 mm
Height	44 mm
Weight	8.7 kg
Packaging content	
Cables included	Power
Feature	Rack mount kit
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), Industry Canada (IC), National Defense Authorization Act (NDAA)