

POLAR

Orë e mençur Polar Pacer PRO S/L -Zezë

SKU: 26012460 · EAN: 0725882060484

SPECIFIKAT TEKNIKE	
68 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Display diagonal	3.05 cm (1.2")
Display technology	MIP
Always-on display	Yes
Display type	Digital
Display resolution	240 x 240 pixels
Touchscreen	No
Watch glass type	Corning Gorilla Glass 3
Backlight	Yes
Processor	
Processor frequency	192 MHz
Design	
Band material	Silicone
Band size	S/L
Lens material	Glass
Shape	Round
Wrist size range	120 - 210 mm
Market positioning	Sport watch
Watch case size	45 mm
Suggested gender	Unisex
Buckle colour	Black
Buckle material	Aluminium
Watch case colour	Grey
Watch case material	Plastic
Band colour	Grey
Closure type	Single prong strap buckle
Protection features	Water resistant
Waterproof up to	50 m

Performance	
FM radio	No
RAM capacity	5 MB
Flash memory	32 GB
Built-in camera	No
Languages support	Simplified Chinese, Czech, Danish, German, Dutch, English, Spanish, Estonian, Finnish, French, Hungarian, Indonesian, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Slovenian, Swedish, Turkish
Features	
Heart rate monitor	Yes
Distance travelled	Yes
Pedometer	Yes
Accelerometer	Yes
Magnetometer	Yes
Personal goals	Yes
Quality of sleep	Yes
Personal info management (PIM)	Countdown timer, Stopwatch
Ambient light sensor	No
Firmware upgradeable	Yes
Timer	Yes
Electronic compass	Yes
Alarm clock	Yes
Stopwatch	Yes
Interval training	Yes
Automatic daily activity detection	Yes
Music control	Yes
Running dynamics	Yes
Barometer	Yes
Military standard	MIL-STD-810G
Network	
Mobile network connection	Yes
GPS (satellite)	Yes
GLONASS	Yes
Galileo	Yes
Quasi-Zenith Satellite System (QZSS)	Yes
Ports & interfaces	
Bluetooth	Yes

Bluetooth version	5.1
Power	
Battery type	Built-in battery
Battery technology	Lithium Polymer (LiPo)
Battery capacity	265 mAh
Battery life (max)	156 h
Operational conditions	
Operating temperature (T-T)	-10 - 50 °C
Weight & dimensions	
Width	45 mm
Depth	45 mm
Thickness	1.15 cm
Weight	41 g
Band weight	23 g
Packaging content	
Manual	Yes