

LEVEL ONE

Switch 8x FE IFP-0801 4xFE 126W 4xPoE

SKU: 25012583 · EAN: 4015867196663

SPECIFIKAT TEKNIKE**51 specifikat e produktit**

ATRIBUTI	VLERA
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	12
Basic switching RJ-45 Ethernet ports type	Fast Ethernet (10/100)
Network	
Networking standards	IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10BASE-T, 100BASE-TX
Full duplex	Yes
Flow control support	Yes
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
Data transmission	
Switching capacity	1.6 Gbit/s
MAC address table	1000 entries
Store-and-forward	Yes
Packet buffer memory	1 MB
Design	
Product colour	Black
LED indicators	Link, Power, Status
Wall mountable	Yes
DIN rail mounting	Yes
Safety	IEC EN60950-1
Performance	
Plug and Play	Yes
Mean time between failures (MTBF)	510304 h
Power	
Redundant power supply (RPS) support	Yes
Power consumption (typical)	5.76 W

Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet plus (PoE+) ports quantity	4
Power over Ethernet (PoE) voltage range	44 - 56 V
Power over Ethernet (PoE) power per port	30 W
Total Power over Ethernet (PoE) budget	126 W
Other features	
Terminal block port	Yes
Operational conditions	
Operating temperature (T-T)	-40 - 75 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	105 mm
Depth	36.2 mm
Height	142 mm
Weight	525 g
Packaging content	
Manual	Yes
Packaging data	
Wall mounting kit	Yes
Terminal block included	Yes
Package type	Box
DIN rail included	Yes
Package width	165 mm
Package depth	65 mm
Package height	215 mm
Package weight	730 g
Certificates	
Certification	EMI: FCC Part 15 Subpart B Class ACE EN 55022 Class AEMC: EN55022, EN55024EN50155/EN60068-2-6EN50155/EN60068-2-27EN50155/EN60068-2-32
Logistics data	
Country of origin	Taiwan
Master (outer) case width	350 mm
Master (outer) case length	240 mm
Master (outer) case height	570 mm

Harmonized System (HS) code	85176990
Master (outer) case gross weight	12.6 kg
Products per master (outer) case	16 pc(s)