

LG ELECTRONICS

Monitor LG 24BA650-B / 24" / Full HD IPS / LED / 100 Hz / 5 ms / HDMI+USB+DP+HDCP - Zezë

SKU: 16008513 · EAN: 8806096207055

SPECIFIKAT TEKNIKE	
99 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LED
Panel type	IPS
LED backlight	Yes
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	5 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	16.7 million colours
Pixel pitch	0.2745 x 0.2745 mm
Display diagonal (metric)	60.4 cm
High Dynamic Range (HDR) supported	No
Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	99%
Performance	
NVIDIA G-SYNC	No

AMD FreeSync	No
Flicker-free technology	Yes
Smart modes	Cinema, Custom, FPS, RTS, Vivid
Multimedia	
Number of speakers	2
RMS rated power	4 W
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Market positioning	Business
Product colour	Black
Detachable stand	Yes
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	4
USB Power Delivery up to	65 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	2
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Headphone out	Yes
Headphone connectivity	3.5 mm
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	No
Height adjustment	Yes
Adjustable height (max)	15 cm

Pivot	Yes
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, German, English, Spanish, Finnish, French, Hindi, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	18
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	14 kWh
Energy consumption (HDR) per 1000 hours	0 kWh
Power consumption (typical)	14.8 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Weight & dimensions	
Width (with stand)	539.6 mm
Depth (with stand)	250 mm
Height (with stand)	517.5 mm
Weight (with stand)	6.6 kg
Width (without stand)	539.6 mm
Depth (without stand)	50 mm
Height (without stand)	323 mm
Weight (without stand)	3.8 kg
Packaging data	
Package width	613 mm
Package depth	491 mm
Package height	184 mm
Package weight	8.3 kg
Package type	Box

Packaging content	
Stand included	Yes
Cables included	DisplayPort, Power, USB Type-C
Screws included	Yes
DisplayPort cable length	1.8 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	Certified Enviro Cranberries (CEC), EPEAT Silver, ErP, TCO, UL ECOLOGO
Other features	
Brand specific technologies	Black Stabilizer, Super+ Resolution
Low input lag	Yes
Motion blur reduction	Yes
Local dimming	Yes