

IYYAMA

Monitor iiyama S2425AS-B1P / 23.8' / Full HD IPS LCD / 14 ms / USB - Zezë

SKU: 16008515 · EAN: 4948570127184

SPECIFIKAT TEKNIKE	
87 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Panel type	IPS
Display diagonal	60.5 cm (23.8")
Display technology	LCD
Display resolution	1920 x 1080 pixels
Display brightness	500 cd/m ²
HD type	Full HD
Touchscreen	No
Native aspect ratio	16:9
Response time	14 ms
Contrast ratio (typical)	1000:1
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Active display area (W x H)	527 x 296.5 mm
Display diagonal (metric)	60.5 cm
Horizontal scan range	31 - 83 kHz
Haze rate	25%
Surface hardness	3H
Ports & interfaces	
HDMI ports quantity	1
DVI port	No
USB port	Yes
USB ports quantity	2
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)
USB connector type	USB Type-A, USB Type-C

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	1
Microphone in	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	10 W
Design	
Product design	Digital signage flat panel
Placement supported	Indoor
Orientation	Horizontal/Vertical
Product colour	Black
Screen shape	Flat
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Bezel colour	Black
Anti-glare screen	Yes
Performance	
Purpose	Universal
Operating hours (hours/days)	24/7
Number of microphones	2
Mean time between failures (MTBF)	50000 h
Power	
Power consumption (typical)	17.5 W
Power consumption (standby)	14 W
Power consumption (off)	3.5 W
Computer system	
Computer system	Yes
Computer system type	System on Chip (SoC)
Built-in processor	Yes
Processor manufacturer	Rockchip
Processor family	ARM Rockchip
Processor model	Rockchip RK3576
Processor cores	8

Internal memory	4 GB
On-board graphics card model	ARM Mali-G52
Internal storage capacity	32 GB
Operating system installed	Android
Operating system version	14
Weight & dimensions	
Display width	549.5 mm
Display depth	28 mm
Display height	336 mm
Display weight	4.24 kg
Width	549.5 mm
Weight	4.24 kg
Packaging data	
Package width	640 mm
Package depth	121 mm
Package height	410 mm
Package weight	6.15 kg
Packaging content	
Power adapter included	Yes
Cables included	AC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Network	
Ethernet LAN	Yes
Ethernet LAN data rates	1000 Mbit/s
Wi-Fi	Yes
Wi-Fi standards	Wi-Fi 6 (802.11ax), Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11a, 802.11b
Technical details	
User controls	Power switch, Volume
Sustainability certificates	ErP
Compliance certificates	CE, EAC, REACH, RoHS, UKCA, WEEE
Other features	
Bluetooth	Yes
Bluetooth version	5.3

Built-in microphone	Yes
USB 2.0 ports quantity	2
Power supply type	External
AC adapter included	Yes