

LENOVO

Monitor Gaming Lenovo Legion 34WD-10 67C9UAC1EU / 34" / Wide Quad HD OLED / LED / 240 Hz / 0.03 ms / HDMI+USB+DP / Curved - Zezë

SKU: 16008582 · EAN: 0198153746286

SPECIFIKAT TEKNIKE

104 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
HD type	Wide Quad HD
Native aspect ratio	21:9
Display technology	LED
Panel type	OLED
Touchscreen	No
Display brightness (peak)	1300 cd/m ²
Display brightness (typical)	275 cd/m ²
Response time	0.03 ms
Anti-glare screen	Yes
Screen shape	Curved
Screen curvature rating	800R
Contrast ratio (typical)	1500000:1
Contrast ratio (dynamic)	3000000:1
Maximum refresh rate	240 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.231 x 0.231 mm
Pixel density	110 ppi
Viewable size. horizontal	79.5 cm
Viewable size. vertical	33.3 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black

Colour depth	10 bit
sRGB coverage (typical)	99%
DCI-P3 coverage	98.5%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium Pro
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 11
Multimedia	
Number of speakers	2
RMS rated power	10 W
Built-in speaker(s)	Yes
Built-in microphone	No
Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Black
Colour name	Raven Black
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B, USB Type-C
Number of upstream ports	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	140 W
HDMI	Yes
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4

Headphone out	No
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	13.5 cm
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 22°
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	38 kWh
Energy consumption (HDR) per 1000 hours	35 kWh
Power consumption (typical)	64 W
Power consumption (standby)	0.5 W
Power consumption (max)	320 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	789.6 mm
Depth (with stand)	262.9 mm
Height (with stand)	577.5 mm
Weight (with stand)	8.7 kg
Width (without stand)	789.6 mm
Depth (without stand)	177.1 mm
Height (without stand)	369.3 mm
Weight (without stand)	6.4 kg

Bezel width (side)	1.5 mm
Bezel width (top)	1.5 mm
Bezel width (bottom)	1.5 mm
Packaging data	
Package width	940 mm
Package depth	282 mm
Package height	475 mm
Package weight	14.6 kg
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Screws included	Yes
Quick start guide	Yes
Number of screws	4
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m