

OPTOMA

Projektor Optoma UHZ68LV / DLP Laser / 5000 Lumen / 4K UHD / 16:9 - Zezë

SKU: 18000781 · EAN: 5055387668652

SPECIFIKAT TEKNIKE	
85 specifikat e produktit	
ATRIBUTI	VLERA
Projector	
Supported aspect ratios	4:3, 16:9, 21:9
Screen size compatibility	777.2 - 7647.9 mm (30.6 - 301.1")
Projection distance	1 - 10 m
Projector brightness	5000 ANSI lumens
Projection technology	DMD
Projector native resolution	UHD 4K (3840x2160)
Contrast ratio (typical)	3200000:1
Native aspect ratio	16:9
Uniformity	85%
Horizontal scan range	15 - 255 kHz
Vertical scan range	24 - 240 Hz
Keystone correction. horizontal	-30 - 30°
Keystone correction. vertical	-30 - 30°
Light source	
Light source type	Laser
Service life of light source	30000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focal length range	17.63 - 27.88 mm
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.6:1
Throw ratio	1.2:1 - 1.92:1
Horizontal lens shift range	-10 - 10%
Vertical lens shift range	106 - 126%
Offset	126%

Video	
Full HD	Yes
3D	Yes
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 768 (WXGA), 1400 x 1050 (SXGA+), 1600 x 1200 (UXGA)
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p
Ports & interfaces	
HDMI connector type	Full-size
HDMI version	2.0/2.1
USB 2.0 Type-A ports quantity	3
Audio (L/R) out	1
Serial interface type	RJ-45, RS-232
S/PDIF out port	Yes
HDMI ports quantity	3
3D sync port	Yes
DVI port	No
AC (power) in	Yes
Network	
Smart TV	No
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Wi-Fi	No
Storage	
Card reader integrated	No
Features	
Noise level (economic mode)	25 dB
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Farsi, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Number of OSD languages	27
Noise level	31 dB
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10+ (HDR10 Plus)
Password protection	Yes

Multimedia	
Built-in speaker(s)	Yes
RMS rated power	10 W
Number of built-in speakers	2
Design	
Market positioning	Home cinema
Product type	Standard throw projector
Product colour	Black
Placement	Ceiling, Floor
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	295 W
Power consumption (standby)	0.5 W
Power consumption (max)	345 W
Power consumption (economy mode)	190 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 85%
Operating altitude	3 - 3 m
Weight & dimensions	
Width	498.1 mm
Depth	331.1 mm
Height	154 mm
Weight	9 kg
Package width	593 mm
Package depth	471 mm
Package height	320 mm
Package weight	11.5 kg
Packaging content	

Remote control included	Yes
Remote control type	IR
Batteries included	Yes
Manual	Yes
Logistics data	
Quantity per pack	1 pc(s)