

LANCOM SYSTEMS

Ruter Lancom 1803VA 5G / EU

SKU: 25012776 · EAN: 4044144621567

SPECIFIKAT TEKNIKE	
54 specifikat e produktit	
ATRIBUTI	VLERA
Design	
Product colour	Black
LED indicators	Yes
Number of fans	1 fan(s)
Features	
Antenna type	External
Antenna connector type	SMA
Antenna gain level (max)	2 dBi
Antennas quantity	4
Performance	
Control display unit	No
Protocols	
Management protocols	SNMPv1,v2c,v3
Supported network protocols	Ethernet over GRE-Tunnel (EoGRE), L2TPv3, ARP-Lookup, LLDP, DHCP option 82, IPv6-Router-Advertisement-Snooping, DHCPv6-Snooping, LDRA (Lightweight DHCPv6 Relay Agent), Spanning Tree, Rapid Spanning Tree, ARP, Proxy ARP, BOOTP, DHCP, LACP
DHCP server	Yes
DHCP client	Yes
VoIP protocols	SIP ALG
DMZ support	Yes
Network	
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.1Q, IEEE 802.3az
Mobile network generation	5G
Data network	3G, 4G, 5G
Dynamic DNS (DDNS)	Yes
Security	
Access Control List (ACL)	Yes

MAC address filtering	Yes
Security algorithms	3DES, AES, FIPS 140, SHA-1, SHA-256, SHA-384, SHA-512
Firewall security	Yes
Authentication method	PAP, CHAP, MS-CHAP, MS-CHAPv2
VLAN support	Yes
Network address translation (NAT)	Yes
Number of VLANs	4096
Password protection	Yes
Ports & interfaces	
USB 2.0 ports quantity	1
SIM card slot	Yes
SIM card type	MicroSIM + NanoSIM
Ethernet LAN (RJ-45) ports	5
WAN connection	Ethernet (RJ-45)
DC-in jack	Yes
Management features	
Quality of Service (QoS) support	Yes
Reset button	Yes
Syslog	Yes
Multicast support	Yes
Power	
Power consumption (max)	34 W
Power consumption (idle)	13 W
Heat dissipation	136 BTU/h
Weight & dimensions	
Width	293 mm
Depth	190 mm
Height	44 mm
Weight	810 g
Packaging data	
Package width	210 mm
Package depth	320 mm
Package height	110 mm
Packaging content	
AC adapter included	Yes

Manual	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	0 - 95%
Logistics data	
Country of origin	Germany
Customs product code (TARIC)	85176200