

SAMSUNG

Ekran prezantues Samsung Smart Signage QB43C / 43" / 4K Ultra HD LCD VA / 75 Hz / 8 ms / HDMI+USB+LAN - Zezë

SKU: 22002646 · EAN: 8806094991741

SPECIFIKAT TEKNIKE	
76 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Panel type	VA
Display diagonal	109.2 cm (43")
Display technology	LCD
Display resolution	3840 x 2160 pixels
Display brightness	350 cd/m ²
HD type	4K Ultra HD
Touchscreen	No
Response time	8 ms
Contrast ratio (typical)	4000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Pixel pitch	0.245 x 0.245 mm
Display diagonal (metric)	108 cm
Horizontal scan range	30 - 81 kHz
Vertical scan range	48 - 75 Hz
Haze rate	2%
Pixel frequency (max)	594 MHz
RGB colour space	NTSC
Colour gamut	72%
Ports & interfaces	
HDMI ports quantity	3
HDMI version	2.0
HDMI input ports quantity	3
DVI port	No
USB port	Yes

USB ports quantity	2
Ethernet LAN (RJ-45) ports	1
RS-232 interface	Yes
Infrared data port	Yes
Remote (IR) input	1
Design	
Product design	Digital signage flat panel
Placement supported	Indoor
Product colour	Black
Screen shape	Flat
VESA mounting	Yes
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.15 cm
Bezel width (side)	1.15 cm
Bezel width (top)	1.15 cm
Bezel colour	Charcoal Black
Mounting type	Wall
Performance	
Purpose	Universal
Operating hours (hours/days)	16/7
HDCP	Yes
HDCP version	2.2
Power	
Power consumption (typical)	121 W
Power consumption (sleep)	0.5 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	74 kWh
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Computer system	
Computer system	Yes
Computer system type	System on Chip (SoC)
Built-in processor	Yes
Operating system installed	Tizen 7.0

Weight & dimensions	
Display width	969.5 mm
Display depth	28.5 mm
Display height	557.8 mm
Display weight	8.8 kg
Packaging data	
Package width	1093 mm
Package depth	126 mm
Package height	667 mm
Package weight	11.3 kg
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Certificates	
Certification	Class B60950-1, 62368-1
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Technical details	
Audio out (mini jack)	1
Other features	
Bluetooth	Yes
Flash memory	8000 MB
RS-232 input ports	1
RS-232 output ports	1
RJ-45 input ports	1
Optional features	WMN-B50SCSTN-L4355C