

LANCOM SYSTEMS

Access Point Lancom / LX 6402 / Wi Fi 6

SKU: 25012864 · EAN: 4044144618253

SPECIFIKAT TEKNIKE	
53 specifikat e produktit	
ATRIBUTI	VLERA
Features	
2.4 GHz	Yes
5 GHz	Yes
6 GHz	No
Maximum data transfer rate (2.4 GHz)	1150 Mbit/s
Maximum data transfer rate (5 GHz)	2400 Mbit/s
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11d, IEEE 802.11g, IEEE 802.11h, IEEE 802.11i, IEEE 802.11n, IEEE 802.11v, IEEE 802.1x, IEEE 802.3at, IEEE 802.3az
Number of users	511 user(s)
Channel bandwidth	160 MHz
MIMO	Yes
MIMO type	Multi User MIMO
Spread spectrum method	OFDMA
Modulation	256-QAM, 1024-QAM
Fast roaming	Yes
VLAN support	Yes
Number of VLAN IDs	4096
Band steering	Yes
Maximal-Ratio Combining (MRC)	Yes
Quality of Service (QoS) support	Yes
Security	
Security algorithms	AES-CCMP, AES-GCMP, EAP-FAST, EAP-GTC, EAP-PEAP, EAP-TLS, EAP-TTLS, TKIP, WEP, WPA2, WPA3
Management features	
Firmware upgradeable	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2

USB 2.0 ports quantity	1
USB connector type	USB Type-A
DC-in jack	Yes
Power	
Power over Ethernet (PoE)	Yes
AC input voltage	12 V
Design	
Placement	Table
Product colour	White
Housing material	Synthetics
Cable lock slot	Yes
Cable lock slot type	Kensington
LED indicators	Yes
Antenna	
Antenna type	External
Antenna direction type	Omni-directional
Antennas quantity	4
Certificates	
Certification	CE : EN 62368-1:2014+AC:2015+A11:2017, EN 62479:2010, EN 301 489-1 V2.1.1, EN 301 489-17 V3.1.1, EN 300 328 V2.2.2, EN 301893 V2.1.1FCC Part 15B, 15C, 15E
Weight & dimensions	
Width	205 mm
Depth	205 mm
Height	42 mm
Packaging data	
Package width	385 mm
Package depth	288 mm
Package height	94 mm
Package weight	1.92 kg
Packaging content	
Quantity per pack	1 pc(s)
AC adapter included	Yes
Cables included	LAN (RJ-45)
Quick start guide	Yes
Operational conditions	

Operating relative humidity (H-H)	0 - 90%
Operating temperature (T-T)	0 - 40 °C
Logistics data	
Customs product code (TARIC)	85176200
Harmonized System (HS) code	85176990
Country of origin	Malaysia