

JAPANNEXT

Monitor JapanNext / 21.5"/ Full HD IPS / LED / Touch / 75Hz / 8ms / HDMI+USB - Gri

SKU: 16008747 · EAN: 4589511167755

SPECIFIKAT TEKNIKE	
69 specifikat e produktit	
ATRIBUTI	VLERA
Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LED
Panel type	IPS
Touchscreen	Yes
Display brightness (typical)	250 cd/m ²
Response time	8 ms
Response time measurement type	GTG (Gray to Gray)
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Pixel pitch	0.249 x 0.249 mm
Display diagonal (metric)	55 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Number of speakers	2

RMS rated power	4 W
Built-in speaker(s)	Yes
Built-in camera	No
Design	
Market positioning	Office
Product colour	Grey
Ports & interfaces	
Built-in USB hub	No
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	2.0
Audio output	Yes
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Panel mounting interface	75 x 75 mm
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	19 cm
Pivot	Yes
Pivot angle	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 70°
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	F
Energy consumption (SDR) per 1000 hours	15 kWh
Energy consumption (HDR) per 1000 hours	19 kWh
Power consumption (typical)	19 W
Power consumption (standby)	0.4 W
Power consumption (max)	90 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Input current	4 A
AC adapter output voltage	24 V
Power supply type	External
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (with stand)	507 mm
Depth (with stand)	423 mm
Height (with stand)	274 mm
Weight (with stand)	5.3 kg
Packaging data	
Package width	572 mm
Package depth	200 mm
Package height	460 mm
Package weight	7.2 kg