

DELL

Monitor Dell UltraSharp 24 U2424H / 23.8"/ Full HD IPS / LCD / 120Hz / 8ms / USB-C + USB-A + HDMI + DisplayPort + HDCP - Zezë/Argjend

SKU: 16008883 · EAN: 5397184821381

SPECIFIKAT TEKNIKE

124 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Native aspect ratio	16:9
Display technology	LCD
Panel type	IPS
Backlight type	Edge LED
Touchscreen	No
Display brightness (typical)	250 cd/m ²
Response time	8 ms
Anti-glare screen	Yes
Screen shape	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080i, 1080p
Contrast ratio (typical)	1000:1
Maximum refresh rate	120 Hz
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Display number of colours	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	92.53 ppi
Horizontal scan range	31 - 135 kHz
Vertical scan range	48 - 120 Hz

Viewable size. horizontal	52.7 cm
Viewable size. vertical	29.6 cm
Viewable size diagonal	60.5 cm
Display diagonal (metric)	60.47 cm
High Dynamic Range (HDR) supported	No
Surface hardness	3H
Colour gamut standard	DCI-P3
Colour gamut	85%
sRGB coverage (typical)	100%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business
Product colour	Black, Silver
Front bezel colour	Black
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone out	Yes
Microphone in	No

PC Audio in	No
HDCP	Yes
HDCP version	1.4
AC (power) in	Yes
Network	
Wi-Fi	No
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Cable lock slot type	Kensington
Height adjustment	Yes
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	24 kWh
Power consumption (typical)	13.7 W
Power consumption (standby)	0.5 W
Power consumption (max)	72 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C

Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	538.6 mm
Depth (with stand)	181.8 mm
Height (with stand)	496.5 mm
Weight (with stand)	5.09 kg
Width (without stand)	538.6 mm
Depth (without stand)	49.1 mm
Height (without stand)	311.2 mm
Weight (without stand)	3.52 kg
Bezel width (side)	5.8 mm
Bezel width (top)	5.8 mm
Bezel width (bottom)	8.95 mm
Packaging data	
Package weight	7.92 kg
USB cable length	1 m
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, USB Type-A to USB Type-C
Power adapter included	Yes
Remote control included	No
Stylus included	No
Quick start guide	Yes
DisplayPort cable length	1.8 m
Sustainability	
Sustainability compliance	Yes
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	502
Total carbon emissions, standard deviation (kg of CO2e)	115
Carbon emissions, manufacturing (kg of CO2e)	357.42

Carbon emissions, logistics (kg of CO2e)	37.15
Carbon emissions, energy usage (kg of CO2e)	103.41
Carbon emissions, end-of-life (kg of CO2e)	4.52
PAIA version	PAIA 1.3.2, 2022
Other features	
Heavy metals free	Hg (mercury)
Compliance certificates	RoHS