

TELTONIKA

Ruter Teltonika RUT906 / Industrial Dual SIM LTE Wi-Fi

SKU: 25013291 · EAN: 4779051840830

SPECIFIKAT TEKNIKE	
60 specifikat e produktit	
ATRIBUTI	VLERA
Design	
Device type	Cellular network router
Product colour	Black
Housing material	Aluminium
Mounting	DIN-rail
Reset button	Yes
LED indicators	3G, Data, Network, Power, System
Ethernet LAN features	
Ethernet LAN	Yes
Ethernet LAN interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Networking standards	IEEE 802.11e, IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u
DHCP client	Yes
DHCP server	Yes
IP routing	Yes
Wireless LAN features	
Wi-Fi	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi frequency	2.4 GHz
Mobile network	
Data network	2G, 3G, 4G, LTE
4G standard	LTE
Number of SIM cards	2
SIM card type	MiniSIM
Short Message Service (SMS)	Yes
Data transfer rate (LTE) (download)	150 Mbit/s
Data transfer rate (LTE) (upload)	50 Mbit/s

Ports & interfaces	
Ethernet LAN (RJ-45) ports	4
USB port type	USB Type-A
USB port	Yes
USB 2.0 ports quantity	1
Serial interface type	RS-232, RS-485
Security	
Security algorithms	AES-CCMP, FTPES, TKIP, WEP, WPA-PSK, WPA2-Enterprise-PEAP, WPA3-EAP, WPA3-SAE
Network address translation (NAT)	Yes
Firewall	Yes
IP address filtering	Yes
URL filtering	Yes
DMZ support	Yes
Port forwarding	Yes
VPN support	OpenVPN, OpenVPN Encryption, IPsec, GRE, PPTP, L2TP, Stunnel, DMVPN, SSTP, ZeroTier, WireGuard, Tinc
GPS Performance	
GLONASS	Yes
BeiDou	Yes
Galileo	Yes
Quasi-Zenith Satellite System (QZSS)	Yes
Performance	
Built-in processor	Yes
Processor manufacturer	Mediatek
Processor frequency	0.58 GHz
RAM capacity	0.128 GB
RAM type	DDR2
Internal storage capacity	0.016 GB
Operating system installed	RutOS
Web-based management	Yes
GPS (satellite)	Yes
Antenna type	External
Antenna connector type	SMA/RP-SMA
Antennas quantity	5
Detachable antenna(s)	Yes

Power	
Power source type	DC
Operational conditions	
Operating temperature (T-T)	-40 - 75 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	109.5 mm
Depth	100 mm
Height	50 mm
Weight	295 g