

BROTHER

Printer T Brother MFC-J5345DW 4in1 / Print, Copy, Scan, Fax / A3, A4, A5, A6 / Color / LAN WLAN Duplex ADF - Hiri

SKU: 19012639 · EAN: 4977766817844

SPECIFIKAT TEKNIKE

82 specifikat e produktit

ATRIBUTI	VLERA
Printing	
Duplex printing mode	Auto
Print technology	Inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black. normal quality. A4/US Letter)	28 ppm
Print speed (colour. normal quality. A4/US Letter)	28 ppm
Time to first page (black. normal)	4.6 s
Time to first page (colour. normal)	4.6 s
Copying	
Copying	Colour copying
Maximum copy resolution	2400 x 1200 DPI
Copier resize	25 - 400%
N-in-1 copy function	Yes
Scanning	
Scanning	Colour scanning
Optical scanning resolution	2400 x 1200 DPI
Optical scanning resolution (black)	2400 x 1200 ppi
Optical scanning resolution (colour)	1200 x 1200 ppi
Optical scanning resolution (ADF)	600 x 600 DPI
Scan technology	CIS
Scan to	E-mail, E-mail Server, File, Image, Network folder, USB
Scan speed (colour)	25 ppm
Scan speed (black)	25 ppm
Fax	
Faxing	Colour faxing

Modem speed	14400 Kbit/s
Features	
Maximum duty cycle	250 pages per month
Duplex functions	Print
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Country of origin	Philippines
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size	A3
Paper tray media types	Envelopes, Photo paper, Recycled paper
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
Non-ISO print media sizes	Index card
Envelopes sizes	C5, Com-10, DL, Monarch
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, AES, APOP, EAP-FAST, EAP-PEAP, EAP-TLS, EAP-TTLS, HTTPS, IPPS, IPSec, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS, TKIP, WPA-PSK, WPA2-PSK, WPA3-SAE
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan
Performance	
Internal memory	256 MB
Design	
Product colour	Black, White

Market positioning	Business
Built-in display	Yes
Display	LCD
Display diagonal	6.78 cm (2.67")
Control type	Touch
Power	
Power consumption (average operating)	36 W
Power consumption (standby)	5.5 W
Power consumption (sleep)	0.9 W
Power consumption (off)	0.03 W
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Linux operating systems supported	Yes
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Operating temperature (T-T)	10 - 35 °C
Sustainability	
Sustainability certificates	Blue Angel
Weight & dimensions	
Width	468 mm
Depth	419 mm
Height	636 mm
Weight	17.2 kg
Packaging data	
Package width	643 mm
Package depth	472 mm
Package height	414 mm
Package weight	18.4 kg
Logistics data	
Harmonized System (HS) code	84433100
Pallet gross height	18.3 cm
Pallet gross weight	170.3 kg
Master (outer) cases per pallet	8 pc(s)
Layers per pallet	4 pc(s)

Products per pallet	8 pc(s)
Technical details	
Master (outer) cases per pallet layer	2 pc(s)
Pallet type	800 x 1200 mm
Other features	
Spare part retention	5 year(s)